

ACO ShowerDrain S

DN50 / Stankslot 30 mm

DN 50 / Sperrwasserhöhe (GV): 30 mm

DN 50 / Water Seal (WS): 30 mm



EN 1253-6

DN50 / Stankslot 50 mm

DN 50 / Sperrwasserhöhe (GV): 50 mm

DN 50 / Water Seal (WS): 50 mm






EN 1253-1



2025-08-12

ACO. we care for water





Inhoud Inhalt Content



Noodzakelijk gereedschap / Benötigte Werkzeuge / Required Tools	3
Installatiehoogte / Einbauhöhe / Installation Height	4




Inbouwen van de ShowerDrain S / Montage der ShowerDrain S / Assembling the ShowerDrain S	5
--	----------



Tegels leggen / Verlegung der Fliesen / Laying the Tiles	10
--	-----------




Onderhoud / Wartung / Maintenance	18
---	-----------







50 mm stankslot
Geruchverschlusshöhe / Water Sealing




EN1253-1



30 mm stankslot
Geruchverschlusshöhe / Water Sealing







EN1253-6





Installatie
puthuis
Montage des
Ablauftopfs
Assembly of
gully body



3a...3c
Alleen bij
installatie
tegen de
muur
Nur bei
Installation
direkt an der
Wand
Only for
installation
directly on
the wall











3a...3c



Alleen bij installatie
tegen de muur

Nur bei Installation
direkt an der Wand


Only for installation
directly on the wall








- * Uitsparing geheel aanvullen
- * Hohlraum-frei unter-füttern
- * Lining without cavities




i Inbouwen van het opzetstuk met gootprofiel /
ab Oberkante Estrich / from unfinished floor level












Afmetingen
Abmessungen
Dimensions


L [mm]	B [mm]	H [mm]
800	65	9
900		
1000		
1200		
1600		





Installatie van
het profiel
Einbau des
Profils
Installation
of profile


















- * Holle ruimte opvullen
- * Hohlraumfrei unterfüttern
- * Lining without cavities



- * Opvulling van water- en drukbestendig materiaal
- * Platte aus wasser- und druckfestem Material
- * Panel of water and pressure-resistant material



















NL < 1 maand
DE < 1 Monat
EN < 1 month







www.aco.nl



3033790